

FEMETE, P.

Healing animals in the Hajdusag. p. 126 (Ethnographia Vol. 67, no 1/2, 1956 Budapest)

SO: Monthly List of East European Accession (EEAL) LC. Vol. 6 no. 7, July 1957, Uncl.

FEKETE, P.

The establishment of the Museum of Hajdusag. p. 195.

EVKONYVE. Deri Museum. Debrecen, Hungary. 1957 (published 1958).

Monthly List of East European Accessions (EEAI) LC, Vol. 8, no. 11,
November 1959.

Uncl.

1 4 4 1 2, F.
CZECHOSLOVAKIA / General and Specialized Zoology. Insects. Harmful P
Insects and Acarids. Pests of the Technical, Oil,
Medicinal and Essential-Oil Cultures.

Abs Jour : Ref Zhur - Biol., No 18, 1958, No. 83025

Author : Weismann, L.; Tokots, P.

Inst : Not given

Title : The Life Cycle of the Beet Aphid, Aphis (Doralis) fabae,
and the Method of Signaling Its Propagation in Beet
Cultures

Orig Pub : Pol'nokhospodarstvo, 1957, 4, No 4, 625-640

Abstract : From the hatching of the founder of the deposit of the
eggs by the ovipositor females (at the beginning of
April and the end of November), the beet aphid brings
forth fifteen generations. From them, the first three
generations of fundatrigenae and the ovipositor females
develop on the primary host (the beet). The growth of the

Card 1/3

CZECHOSLOVAKIA / General and Specialized Zoology. Insects. Harmful P
Insects and Acarids. Pests of the Technical, Oil,
Medicinal and Essential Oil Cultures.

Abs Jour : Ref Zhur - Biol., No 18, 1958, No. 83025

aphids on the beet terminates with the fifth generation on account of the intense infestation by the parasites and the thickening of the plant tissues. The first winged aphids appear in the third generation; in this manner, the winged virgins of the third, fourth and, partly, the fifth generations fly over to the secondary host (the turnip). There, they bring forth eleven generations. In the fall (the end of August - the beginning of September), the immature aphids [semisnouts?] return to the beet, where the fifteenth generation develops - ovipositor females. The males are born on the turnip. From the two verified methods of signaling the danger of aphid infestation, the method of the yellow cups of "Moriko" proved to be unsatisfactory. On the contrary, the method of "ole

Card 2/3

SCHMIDT, Lubos; VORLICKOVA, Bozena; FEKETE, Pavel

Report on the test of seeds of sugar beet varieties in 1963.
Listy cukrovar 80 no.9:225-239 S '64.

FEKETE, P.

Making tinder for striking fire. p. 465.

ETHNOGRAPHIA. (Magyar Neprajzi Tarsasag) Budapest, Hungary Vol. 69, no. 3, 1958.

Monthly list of East European Accessions (EEAI), LC, Vol. 8, no. 7, July 1959
umola.

SIRBU, Rodica, ing.; FEKETE, Raisa, ing.; ELOPATAKI, Ladislau, dr;

Contributions to the knowledge of indigenous synthetic
tannins. Industria usoara 10 no.6:225-227 My '63.

SIRBU, Rodica, ing.; FIKETE, Paissa, ing.

Possibilities of utilization of ion exchange resin for analyzing
anionic dyestuffs. Industria usoara 11 no.3:109-111 Mr'64.

1ST AND 2ND QUARTERS		PROCESSING AND PREPARATION	
<p>FEKETE, Sándor</p> <p>CC</p>		<p>9</p> <p>The cyaniding of gold ores and its dependence on the working liquor. Sándor Fekete (Nagybánya, Hungary). <i>Bányászati Kohászati Lapok</i> 77, 117-24(1944); <i>Chem. Zentr.</i> 1944, II, 1113.—After repeated use of the cyanide soln. in the cyaniding of Au ores it becomes a "working liquor," which differs both in composition and action from the original fresh soln. Lab. tests showed that this working liquor was formed in a very short time even in those cases in which the ore was readily cndd. and no injurious constituents were liberated. A series of tests showed that the effectiveness of the working liquor for dissolving out the noble metal was reduced as compared with that of the fresh soln. but that if allowed to act for a sufficiently long period the same degree of extn. could be obtained with such liquors as with the fresh soln. The continued use of such liquors is advantageous from the standpoint of cyanide consumption.</p> <p>M. G. Moore</p>	
<p>ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION</p>			
<p>SECTION 1</p>		<p>SECTION 2</p>	
<p>SECTION 3</p>		<p>SECTION 4</p>	

FEKETE, S.

Hungarian Technical Abst.
Vol. 6 No. 1
1954

47. Utilization and control of rock pressure in coal mining -- *A kőszelvények károsodása, illetve lekötése a szelvényekben* -- S. Fekete. (Hungarian Journal of Mining -- *Bányászati Lapok*, -- Vol. 8 (86), 1953, No. 3, pp. 113-128, 14 figs.)

The utilization of rock pressure is understood to mean the employment of the devolved useful pressure. The utilization or control of pressure is called roof control. Rock pressure phenomena are perceptible through the movements of the rock. It could be determined by investigating the various factors influencing rock pressure that both the strength and the thickness of the cap rock play an important part in devolving pressure. The theoretical bases of the arising moments, founded on experiences gained in longwall workings in Hungary, are discussed and the fact established that the crossline of the hanging wall must be set as close to the working face as feasible at the first caving. Caving must be started as soon as sufficient width has been attained and, in order to obtain advantageous load distribution, the proper speed of advance should be ensured at the very outset. The moment on the working face is considerably greater on walls which had been worked a long time ago while the width of winning and the permissible pace are substantially less. Winning is dangerous at workings started in recently won areas because the rock is still in motion. The development of face pressure and its effects on roofs, floors and fillings are discussed. In several Hungarian mines the utilization of the devolved pressure became evident in the formation of secondary coal faces, in the loosening of the coal layer under an exhausted and

(over)

caved seam, and in the temporary decrease of pressure in the lower seam. With a view to keeping stowing areas open the pace of working, the rapid handling of rigidly elastic direct safety devices, the influence of stowing and methods of caving are of great importance. Since roof and floor conditions are unfavourable in Hungarian mines, good results may be anticipated from the use of coal ploughs. Further investigations are required for the clarification of the spatial distribution of the devolved pressure.

P. Af.

FEKETE, S. 1948

(Apponyi Poliklinika Szuleszeti Osztayarol)

"Significance of Trueta's Investigations on the Pathogenesis of Eclampsia."

Orvosok Lapja, Budapest, 1948, 4/33(1049-1051)
Abst: Exc. Med. 111, Vol. 111, No. 7, p. 280

FARKAS, K.; FEKETE, S.

The importance of bloodsupply to the bloodvessels in the starting and
stopping of menstruation. Acta med.hung. 2 no.1:181-200 1951.
(CML 20:7)

1. Budapest Municipal Polyclinic (Apponyi Polyclinic).

FEKETE, S.

New concepts in menstruation. Orv. hetil., Budap. 92 no. 47:1525-
1533 25 Nov. 1951. (CML 21:3)

1. Doctor. 2. Szovetsag-utcai Metropolitan Hospital (Director --
Prof.-Dr. Sandor Fekete), Budapest.

FEKETE, S.

Significance of mucopolysaccharides in the pathogenesis of toxemias of pregnancy. Acta med. hung. 5 no.3-4:293-308 1954.

1. From the Szovetseg Street Municipal Hospital, Budapest
(received June 29, 1953)

(PREGNANCY TOXEMIAS, etiology & pathogenesis

mucopolysaccharide depolymerization by hyaluronidase & release into circ.)

(ECLAMPSIA, etiology & pathogenesis

(as above)

(HYALURONIDASE, physiology

mucopolysaccharide depolymerization in skin as cause of eclamptic seizure)

(SKIN, metabolism

mucopolysaccharide depolymerization by hyaluronidase as cause of pregn. toxemia)

(POLYSACCHARIDES, metabolism

mucopolysaccharide depolymerization by hyaluronidase as cause of pregn. toxemia)

FEKETE, Sandor
~~XXXXXXXXXXXXXXXXXXXX~~

Data on the technic of vaginal hysterectomy in 500 cases. *Magy. noorv.lap.* 18 no.1:1-8 Jan 55.

1. Budapest Fovaros Tanacsanak Szovetseg utcai koshaza (Foorvos: Fekete Sandor dr.)

(UTERUS, surgery

hysterectomy, vaginal, technic (Hun)

FEKETE, Sandor, dr.

Neurohormonal correlation in gynecology. Orv. hetil. 96 no. 21:
22 May 55

1. A Budapesti Szovetseg utcai Korhas Szuleszeti Osztalyanak
(foorvos: Fekete Sandor, kandidatus) kozlomenye.

(GENITALIA, FEMALE, physiology,
neurohormonal regulation)

(NERVOUS SYSTEM, physiology,
neurohormonal regulation, gyn.aspects)

(ENDOCRINE GLANDS, physiology,
neurohormonal regulation, gyn. aspects)

FEKETE, Sandor, dr.

Neurohumoral dysmenorrhea. Orv. hetil 96 no.26:715-718 26 June 55

1. A Budapesti Szovetség utcai Korház (igazgató-főorvos: Fekete Sandor az orvostudományok kandidátusa) közleménye.
(DYSMENORRHEA, physiology
neurohumoral factors)

FEKETE, Sandor, dr.

Neuro-endocrine relationship in pregnancy toxemia. Orv. hetil. 96
no.37:1009-1012 11 Sept 55.

1. Budapest Szovetsag utcai Korhasanak kozlmenye (igazgato-foorvos:
Fekete Sandor dr.)

(PREGNANCY TOXEMIAS, physiology,
neuro-endocrine relationship)

(ENDOCRINE GLANDS, physiology,
neuro-endocrine relationship in pregn. toxemias)

(NERVOUS SYSTEM, physiology,
neuro-endocrine relationship in pregn. toxemias)

RUMANIA / Human and Animal Physiology. Internal
Secretion. Sexual Glands.

T

Abs Jour: Ref Zhur-Biol., No 22, 1958, 102127.

Author : Fekete, Sandor.

Inst : Not given.

Title : Neurohormonal Correlation in Gynecology.

Orig Pub: Rev. med. (RPR), 1957, 3, No 2, 3-12.

Abstract: No abstract.

Card 1/1

FEKETE, S., Prof.

Atypical toxicoses in pregnancy, Ther. hung. no.5:10-12 1957.

1. Municipal Hospital of Szovetseg utca (Director: Prof. Sandor Fekete).
Budapest.

(PREGNANCY TOXEMIAS
atypical)

FEKETE, S.

The significance of mucopolysaccharides in the pathogenesis of toxemia of pregnancy. II. The effect on hyaluronidase of serum from patients with toxemia of pregnancy. Acta med. hung. 10 no.4:421-433 1957.

1. Szovetsseg Street Hospital, Budapest.

(PREGNANCY TOXEMIAS, blood in

mucopolysaccharide content & antihyaluronidase activity)
(MUCOPOLYSACCHARIDES, in blood

in pregn. toxemias, relation to blood antihyaluronidase
activity)

(HYALURONIDASE, antag.

blood antihyaluronidase activity in pregn. toxemias, re-
lation to blood mucopolysaccharide level)

FEKETE, Sandor, dr.

~~PROPHYLAXIS OF LATE PREGNANCY TOXICOSES~~
Prophylaxis of late pregnancy toxicoses. Orv. hetil. 98
no.27:722-727 7 July 57.

1. A Budapest Fovaros Szovetsseg utcai Korhasanak (foorvos:
Fekete, Sandor, dr.) koslemenye.
(ECLAMPSIA, prev. & control
(Hun))

FEKETE, Sandor, Dr.

Significance of parabiosis and irradiation in the development of eclamptic cramps. Orv. hetil. 98 no.35:952-957 1 Sept 57.

1. A Budapest Fovaros Szovetseg utcai Korhazanak (a szulesseit osztaly foorvosa: Fekete Sandor dr. egyet. rk. tanar) kozlemenye.

(ECLAMPSIA, etiol. & pathogen.

develop. & irradiation of parabiosis in induction of eclamptic cramps (Hun))

FEKETE, Sandor, Dr.

~~New~~ data concerning the clarification of the pathological process of late pregnancy toxicoses. Orv. hetil. 99 no.19:619-625 11 May 58.

1. A Budapesti f ovarosi utcai Korhas (igazgato: Fekete Sandor dr.) kozlomenye.

(PREGNANCY TOXEMIAS, etiol. & pathogen.
pathogen. of late pregn. toxemias (Hun))

FEKETE, Sandor

Significance of the hypotensive syndrome in gynecology and obstetrics.
Orv. hetil. 100 no.3:103-108 18 Jan 59.

1. A Budapest Fovaros Szovetseg utcai Korhazanak (igazgato: Fekete
Sandor dr. Egyet. c. rk. tanar) kozlenseye.

(HYPOTENSION

in pregn. & gynecol. dis., etiol., pathogen. & ther. (Hun))

(PREGNANCY, compl.

hypotension, etiol., pathogen. & ther. (Hun))

(GYNECOLOGICAL DISEASES, compl.

same)

FEKETE, S., prof.

Fundamentals to the pathogenesis of pregnancy toxemias. Theri hung.
11 no.1:24-28 '63.

1. Municipal Hospital of Szovetseg utca (Director: Prof. S. Fekete),
Budapest.

(PREGNANCY TOXEMIAS) (VASOPRESSIN) (MUCOPOLYSACCHARIDES)
(HYPERTENSION) (STRESS) (KIDNEY FUNCTION TESTS)
(LIVER FUNCTION TESTS) (PLACENTA) (METABOLISM) (THERAPEUTICS)

LUX, Janos; ALBERT, Bela; FEKETE, Sandor

Glutamic-oxaloacetic transaminase (SGOT) in pregnancy. Magy.
noorv.lap. 27 no.1:61-64 J '64.

1. Kiskunfelegyhazi Varosi Korhaz Szüleszet-nőgyógyászati Osztalya
es Laboratoriuma.

*

FEKETE Sándor, dr.

Antecedents of the Semmelweis theory. Question of priority.
Orv. hetil. 106 no.33:1542-1546 15 Ag'65

1. Semmelweis-élet, levelei és gyógyászati-történeti gyűjtemény
(igazgató: Fekete, Sándor, dr.).

FARKAS, Karoly, dr.; FEKETE, Sandor, dr.

The birth-place of Semmelweis as a museum of history of medicine
and pharmacy. Orv. hetil. 106 no.33:1554-1555 15 Ag'65.

PITTER, Pal; ARKOS, Frigyes; HORVATH, Antal; DOMONY, Andras, dr.;
LEVARDI, Ferenc, dr.; SELMECI, Bela; FEKETE, Sandor; MARTOS,
Ferenc, dr.; MACSAY, Jozsef, okleveles gepeszmernok;
TARCIY-HORNOCH, Antal, dr., akademikus, egyetemi tanar;
GAGYI PALFFY, Andras, dr.; KICSINDI, Janos, okleveles kohoszmernok;
HEINRICH, Jozsef, okleveles banyaszemernok

The 1963 general meeting of the Hungarian Association for
Mining and Metallurgy. Koh lap 96 no. 6:241-264 Je '63.

1. Chairman, Division of Iron Metallurgy, Hungarian
Association for Mining and Metallurgy (for Pitter).
2. Editor-in-Chief, "Kohaszzati Lapok" (for Arkos).
3. Secretary, Division of Metallurgy, Hungarian Association
for Mining and Metallurgy (for Horvath).
4. Editorial
board member, "Kohaszzati Lapok" (for Domony).
5. President,
Hungarian Association for Mining and Metallurgy (for Levardi).
6. Secretary General, Hungarian Association for Mining and
Metallurgy (for Selmecsi).
7. Head, Auditing Commission,
Hungarian Association for Mining and Metallurgy (for Fekete).
8. Head, Medal Commission, Hungarian Association for Mining
and Metallurgy (for Martos).
9. Ozd Metallurgical Works, Ozd
(for Macsay).
10. Esztergom Machine Tool Factory, Esztergom
(for Kicsindi).

"APPROVED FOR RELEASE: Monday, July 31, 2000

CIA-RDP86-00513R000412820

APPROVED FOR RELEASE: Monday, July 31, 2000

CIA-RDP86-00513R000412820

at higher wind velocities. The diurnal temperature distribution is larger but their effective range is smaller.

27404
CZECHOSLOVAKIA / Forestry. Forest Cultures.

K

Abs Jour: Ref Zhur-Biol., No 7, 1958, 29592.

Author : Fekete, S.

Inst : ~~Not given.~~

Title : The Effect of One and Multiple Rows of Forest
Strips on Snow Deposits in the Protected Space
in Slovakia.
(Vliyaniye odno - i mnogoryadnykh zashchitnykh
lesopolos na snegootlozheniye v zashchishchennom
prostranstve (Slovakiya).

Orig Pub: Pol'no-hospodarstvo, 1957, 4, No 1, 30-59.

Abstract: No abstract.

Card 1/1

67

FEKETE, Stefan, RNDr.

First reports on the effect of windbreaks on the yield of agricultural plants in the period 1954-1958. Rost výroba 8 no.11/12:1453-1476 D '62.

1. Vyzkumny ustav zavlahoveho hospodarstva, Bratislava.

FEKETE, Tibor, inzh.

Study of the forces in the segment rubber springs of rail-
road car wheels. Tekhnika Bilg. 12 no.3:19-21 '63.

FLAITE, T.

Ultrasonic treatment in the machine-tool industry.

P. 295. (GEP.) (Budapest, Hungary) Vol. 9, No. 7/8, Oct./Nov. 1957

SO: Monthly Index of East European Accession (EEAI) LC. Vol. 7, No. 5, 1958

FEKETE, T.

"Use of synthetic materials in the machine-tool industry." p. 129

GEP. (Gépipari Tudományos Egyesület). Budapest, Hungary.
Vol. 11, No. 4, Apr. 1959

Monthly list of East European Accessions (EEAI), LC, Vol. 8, No. 8,
August 1959
Unclass.

FEKETE, T.

FEKETE, T. Teaching illuminating technique. p. 26.

Vol. 4, No. 1, Jan. 1956

VILLAMOSSAG.

TECHNOLOGY

Budapest, Hungary

So: East European Accession, Vol. 5, No. 5, May 1956

REF ID: A67764
RUMANIA/Human and Animal Physiology (Normal and Pathological).
The Liver.

T-8

Abs Jour : Ref Zhur - Biol., No 11, 1958, 50993

Author : Ciurdariu, P., Feketo, T., Vasiu, Alexandra; Ghircoias,
Tudorita

Inst : -

Title : The Lugol Solution Reaction as a Single Test of Liver
Function.

Orig Pub : Viata med., 1957, 4, No 4, 57-61.

Abstract : No abstract.

Card 1/1

OLIGORE, V., dotsent, doktor; GHERMAN, G.; DIMITRESKU, I.; BACHU, T.; CHOFU, G.;
KUTUSH, K.; FELOTH, T.

Problem of peptic ulcer in elderly people. Klin.med. 37 no.10:41-44
O '59. (MIRA 13:2)

1. Iz 2-y meditsinskoy kliniki (zaveduyushchiy - prof. doktor I.Goya)
Mediko-farmatsevticheskogo instituta g. Klush.
(PEPTIC ULCER in old age)

FEKETE, Tomas, dr.; CSÉLNY, Marton, dr.

Successful medical treatment of liver abscess caused by *Endamoeba histolytica*. Orv.hetil. 101 no.39:1396-1398 25 S '60.

1. Borsod-Abaúj-Zemplén Megyei Tanács Semmelweis Kórhaza,
II, sz. Belosztály
(LIVER ABSCESS ther.)
(AMEBIASIS ther.)

FEKETE, T.

"Timely Questions on the Increase of Milk Production", P. 29,
(AGRARTUDOMANY, Vol. 6, No. $\frac{1}{2}$, Jan/Feb. 1954, Budapest, Hungary)

SO: Monthly List of East European Accessions, (EFAL), LC, Vol. 4,
NO. 1, Jan. 1955, Uncl.

FEKETE, T

FEKETE, T. improving protein content on the basis of amino acid composition. p. 269

Vol. 8, No. 6, June 1956

AGRARTUDOMANY

AGRICULTURE

Budapest

SO: EAST EUROPEAN ACCESSIONS, Vol. 6, No. 3, March 1957

FEKETE, T.

FEKETE, T. The right preparation of cows with calf. P. 396

Vol. 8, No. 9, Sept. 1956

AGRARTUDOMANY

AGRICULTURE

Budapest, Hungary

So: East European Accession , Vol. 6, No. 2, Feb. 1957

FEKETE, Toman, dr.

Cranial nervy symptoms during the growth of lymphoepithelioma in the cranial base. Orv. hetil. 133 no.9:400-402 Mr '62.

1. Pecs Orvostudományi Egyetem, Ideg- és Elmeklinika.

(SKULL neoplasms) (CARCINOMA EPIDERMOID physiol)
(CRANIAL NERVES physiol)

FEKETE, Tibor, dr.; HERTA, Traian, dr.

Infectious idiopathic eosinophilia. Orv. hetil. 103 no.11:499-500
18 Mr '62.

1. Zsboi Allami Korhas Belosztaly, Koloss-Tartomány, Roman Nepkostasag.

(EOSINOPHILIA case reports)

RUMANIA

FEKETE, T., MD; HERTA, Tr., MD.

Polyclinic No X, Bucharest (Policlinica a X-a, Bucuresti) -
(for Fekete); Unified Hospital in Jibou, Cluj Regiune
(Spitalul unificat Jibou) - (for Herta)

Bucharest, Viata Medicala, No 23, 1 Dec 63, 1611-1615

"The Problem of Epigastric Hernia Viewed from the Point of
View of the ~~XXXXXXXX~~ Practitioner."

FEKETE, T., dr.; HERTA, T., dr.

Considerations on Dercum's disease, with reference to a clinical case. Med. intern. 15 no.11:1393-1395 N '63.

1. Lucrare efectuata in Spitalul de adulti, Jibou, Sectia de boli interne.

(ADIPOSIS DOLOROSA)

FEKETE, TIBERIU (MD)

ROMANIA

FEKETE, Tiberiu, MD.

Polyclinic No 10, Bucharest (Policlinica nr. 10, Bucuresti)

Bucharest, Viata Medicala, No 2, 15 Jan 64, pp 115-122

"Recent Progress in the Physiology and Pathology of the
Pancreas."

FEKETE, Tibor, dr.; JOOB, Sandor, dr.

On the so-called Zieve's syndrome. Orv. hetil. 105 no.33:
1577-1578 16 Ag '64.

HUNGARY

EEKETE, Tibor, Dr, MCSORA, Nicoale, Dr; Medical University of Cluj-Kolozsvar, II. Medical Clinic (director: VIOREL, Grigore, Dr) (Cluj-Kolozsvari Orvostudományi Egyetem, II. Belklinika).

"Simultaneous Occurrence of Diabetes Mellitus and Renalis."

Budapest, Orvosi Hetilap, Vol 107, No 48, 27 Nov 66, pages 2288-2289.

Abstract: [Authors' Hungarian summary] The case of a 25 year old woman is described who was diagnosed as having both diabetes mellitus and renalis. It is stressed that such cases must be adjusted according to the blood sugar level (and not the urine sugar concentration), and an adequate amount of carbohydrate must also be given to them. 4 Eastern European, 24 Western references.

FEKETE, Zoltan

Degasification and utilization of methane gas. Épületgépészet 11
no.5:198-200 0 '62.

CA

11 9

Mechanism of formation of Moskin's phenomenon.
Zoltan Fekete, Rva Sivari, and Lajos Semlari. Acta
Morphol. Acad. Sci. Hung. 1, 447-47 (1951) (in French).
When lithium-carminc was injected intravenously into rats
or rabbits and, a few min. later, an irritant was injected
into the skin, a red area developed in the vicinity of the
intracutaneous injection. If trypan blue were the material
injected intravenously, the area surrounding the point of
irritation turned blue. Prior dosage with antihistaminic drugs
did not prevent formation of the spot. The phenomenon was
attributed to increased vascular permeability in the irri-
tated area caused by the phys. or chem. effects of the ir-
ritant and by the local release of histamine. W. D. G.

KOCSIS, A.; NANASI, P.; FORRO, L.; FEKETE, Z.

Laboratory data on the prevention of bismuthia. Orv. hetil.,
Budap. 92 no.28:909-912 15 July 1951; (CIWL 20:11)

1. Doctors. 2. Skin and Venereal Diseases Clinic (Director —
Prof. Dr. Lajos Szodoray), Debrecen Medical University; Skin
and Venereal Clinic (Director — Prof. Dr. Tamas Ravnay),
Szeged Medical University.

FEKETE, Z.

Value of the dried blood serum reaction. *Borgyogy. vener. szemle.* 7
no.4:118-120 July 1953. (CLML 25:4)

1. Doctor. 2. Clinic for Skin and Venereal Diseases (Director -- Prof.
Dr. Lajos Szodoray, Debrecen Medical University.

FEKETE, Z.; SZODORAY, L.

Pasini's albopapuloid dystrophy of the skin. *Borogygy. vener. szemle*
7 no.4:124-127 July 1953. (CML 25:4)

1. Doctors. 2. Clinic for Skin and Venereal Diseases (Director -- Prof.
Dr. Lajos Szodoray), Debrecen Medical University.

FEKETE, Zoltan, dr.

On the complement binding reaction in gonorrhea. *Borogy.*
vener. szemle 7 no.6:182-187 Nov 53.

1. Az Oroszagos Bor-Nemikortani Intezet kozlemenye (igazgato:
Foldvari Ferenc dr. egyetemi tanar) "Isuton is kozsonetet
mondanak Joo Istvan Dr.-nak az antigen elkessiteseert."

(GONORRHEA, immunology

complement binding reaction (Hun))

(COMPLEMENT

binding reaction in gonorrhea (Hun))

FEKETE, Zoltan, dr.,; HELLMECZI, Lajos, dr.

Experience in bismocillin therapy of syphilis. Borgyogy. vener.
szemle 8 no.1:22-27 Jan 54

1. A Debreceni Orvosegyetem Bor- és Nemikortani Klinikájának
közleménye. Igazgató: Szodoray Lajos egyetemi tanár.

(SYPHILIS, therapy

bismuth with penicillin)

(BISMUTH, therapeutic use

syphilis. with penicillin)

(PENICILLIN, ther. use

syphilis, with penicillin)

KONYVES, Pirooska, dr.,; VARSANYI, Denes, dr.,; FARKAS, Zoltan, dr.

Comparative study of mass seroreaction in syphilis. Borgyogy.
vaner. szemle 8 no.5:139-141 Sept 54.

1. Az Országos Bor- és Nemikortani Intézet közleménye (Igazgató:
Földvári Ferenc dr. egyetemi tanár)
(SYPHILIS, diagnosis
serodiag., routine mass exam.)

FEKETE, Zoltan, dr.; VARSANYI, Denes, dr.; KONYVES, Pirooska, dr.

Experiences with dried and preserved blood serum in serodiagnosis of syphilis. Orv. hetil. 95 no.49:1354-1358 5 Dec 54.

1. Az Orszagos Bor-Memikortani Intezet (igazgato: Foldvari Ferenc, dr, egyet, tanar) Szerologiai Osztalyanak (vezeto: Fekete Zoltan dr.) kozlemenye.

**(SYPHILIS, diag.
serodiag., dried serum reaction)**

FEKETE, Zoltan, dr.; VARSANYI, Denes, dr.; VERTES, Bodog., dr.

Comparative serological investigations with cardiolipin of
domestic production. Orv. hetil. 96 no.29:790-794 17 July 55.

1. Az Országos Bor- Nemikortani Intezet és a Budapesti Orvostudományi
Egyetemi Bor-és Nemikortani Klinika (igazgató: Foldvari Ferenc dr.
egyetemi tanár) közleménye.

(CARDIOLIPIN,
comparison with other methods)

FEKETE, Zoltan, dr.; LAZAROVITS, Lajos, dr.; NEMEN, Fuhrer, Laszlo,
dr.; ORBAN, Tamas, dr.

New aspects of the clarification of non-anamnestic sero-positive
cases of syphilis, with special regard to cardiolipin reactions.
Orv. hetil. 96 no.49:1351-1355 4 Dec. 55.

1. Az Orszagos Bor-Nemikortani Intezet (igazgato: Foldvari Ferenc
dr. egyet. tanar) es a Budapest Fovarosi Bor-Nemibeteggondozo
Intezetek (igazgato: Karolyi Istvan dr.) kozlemenye.

(SYPHILIS, diag.

serodiag., comparative study on false-positive
reactions in various tests (Hun))

FEKETE, Zoltan, dr.; BOLANYI, Iare, dr.

Bojevsszkaja's antigen determination test in early syphilis.
Borgyogy. vener. szemle 10 no.1:30-33 Jan 56.

1. Az Országos Bor-Hemikortani Intézet közleménye Igazgató: Földvari
Ferenc dr., egyetemi tanár.

(SYPHILIS, diag.

serodiag., Bojevsszkaja complement fixation test,
quantitative method (Hun))

FEKETE, Zoltan, dr.

Aspecific syphilis serological reactions in everyday practice.
Orv. hetil. 97 no.44:1206-1210 28 Oct 56.

1. Az Országos Bor-Nemikortani intézet (igazgató: Foldvari, Ferenc
dr. egyetemi tanár) közleménye.
(SYPHILIS, diag.
false-positive tests in various dis. (Hun))

197 AND 198 000000		199 AND 200 000000	
Fekete, Z.		PROCESSES AND PROPERTIES INDEX	
<p>36. Comparative investigation on the factors influencing water economy in soils, by Z. Fekete: ("Hidrologia, Közlöny" -- Journal of Hidrology -- Vol XXX, No. 7--8, pp. 312--315, 1950).</p> <p>The results of 155 comparative investigations are summarized to supply informative data for practical use. The most important factors referring to the irrigation of farm land and the various types of Hungarian soil (such as sand, sandy loam, clayey loam, clay, heavy clay) are presented in a table. The natural water capacity of soils plays an essential part when establishing the amount of irrigation water to be applied, since most plants develop best when the pores of the soil are filled with 70 per cent air and 30 per cent water. If the soil is to be irrigated to a prescribed depth then the amount of irrigation water must correspond to the natural water capacity. The author is of the opinion that from a practical point of view some additional important factors are required for a parallel comparison of the various types of soil.</p>			
197 AND 198 000000		199 AND 200 000000	
197 AND 198 000000		199 AND 200 000000	

"APPROVED FOR RELEASE: Monday, July 31, 2000

CIA-RDP86-00513R000412820

APPROVED FOR RELEASE: Monday, July 31, 2000

CIA-RDP86-00513R000412820C

Fekete, L.
EXCERPTA MEDICA Sec.13 Vol.9/11 Dermatology Nov 55

2628. FEKETE Z. and HELMECZI L. *Experiences with bismocillin treatment of syphilis HUNG. DERM. VENER. REV. 1954, 30 (32)

The authors treated 100 syphilitic patients with 6,000,000 U. of bismocillin (procaine penicillin monostearate combined with bismuth, in 5 ml. ampoules containing 1,200,000 I.U. penicillin and 200 mg. bismuth). They re-examined 55 patients. The titre of serology had a decreasing tendency in all cases. Untoward effects, as bismuthic margine, urticaria, local pains, were only seldom observed. In about 10% of cases the first bismocillin injection was followed by a Jarisch-Herxheimer reaction.

Földvári - Budapest

PEKETS, 2.

History of forest exploitation plans in Hungary. p. 190. (A7 ERDO, Budapest, Hungary), Vol. 3, No. 6, June 1954.

SO: Monthly List of East European Accessions, (EEAL, IC, Vol. 4, No. 5, May 1955, Uncl.

HUNGARY / General and Specialized Zoology. Insects. Harmful P
Insects and Acarids. Chemical Methods in the Control of
Harmful Insects and Acarids.

Abs Jour : Ref. Zhur - Biol., No 18, 1958, No. 82924

Author : Matolasy, G.; Fokoto, Z.

Inst : Not given

Title : Recent Phospho-organic Compounds as Insecticides. IV.
The Analogues of Systox

Orig Pub : Novonytormolos, 1956, 5, No 4, 331-342

Abstract : A series of analogues of systox (I) was synthesized and
studied. The toxicity of the derived compounds was tested
on houseflies, beet aphids and granary weevils. While of a
comparatively low toxicity for warm-blooded animals, the
most toxic compound for insects, practically as potent as
I, proved to be bithiodiglycol (dimethylthiophosphate)
(II). For mice, the fatal dose of I is 5-10 mg/kg, whereas


Card 1/2

HUNGARY / General and Specialized Zoology. Insects. Harmful
Insects and Acarids. Chemical Methods in the Control of
Harmful Insects and Acarids.

P

Abs Jour : Ref Zhur - Biol., No 18, 1958, No. 82924

the fatal dose of II is 75-100 mg/kg. The structural
formula of II is as follows:



The ethyl homologue of II is almost as toxic for insects
as II. -- From the authors' resume

Card 2/2

FEKETE, Z.

FEKETE, Z Improving Hungary's soil structure by synthetic resins. p. 250

Vol. 8, No. 6, June 1956

AGRARTUDOMANY

ACRICULTURE

Budapest

SO: EAST EUROPEAN ACCESSIONS, Vol. 6, No. 3, March 1957

FEKETE, Z.

FEKETE, Z. Aspects for increasing the production of breadstuffs and maize from the point of view of soil protection. p. 50.

Vol. 8, no. 2, Feb. 1956

AGRARTUDOMANY.

AGRICULTURE

Budapest, Hungary

So: East European Accession, Vol. 6, No. 5, May 1957

FEKETE, Z.; TANGL, H.

Some questions on the development of agriculture. p. 8 Vol. 11, No. 17
Sept. 1956. MUSZAKI ELET, Budapest, Hungary.

SOURCE: East European List, (EEAL) Library of Congress Vol. 6, No. 1
January 1956.

FEKETE, Z.
HUNGARY / Soil Science. Physical and Chemical Properties of Soil. J

Abs Jour: Ref Zhur-Biol., No 7, 1958, 29467.

Author : Fekete, Z.
Inst : Not given.
Title : Features of Forest Soil Water Conditions.
(Osobennosti vodnogo rezhima lesnykh pochv).

Orig Pub: Erdo, 1957, 6, No 2, 58-62.

Abstract: No abstract.

Card 1/1

17

FEKETE, Z.

Significance of the absorptive capacities of Hungarian soils. p. 21.
(KOZLEMENYEI. Vol. 11, no. 1/4, 1957, Budapest, Hungary)

SO: Monthly List of East European Accessions (EEAL) LC. Vol. 6, no. 12, Dec. 1957.
Uncl.

FEKETE, Z.

AGRICULTURE

Periodicals ERDESZETTUDOMANII KOZLIMENYEK No. 1, 1958

FEKETE, Z. Opening announcement. p. 3.

MONTHLY List of East European Accessions (EEAI) LC, Vol. 8, No. 5,
May 1959, Unclass.

FEKETE, Z.

AGRICULTURE

Periodical IRDESZETTUDOMANYI KOZLEMENYEK No. 1, 1958

FEKETE, Z. Problems related to the control of the inventory of experimental acacia groves. p. 65.

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 5,
May 1959, Unclass.

FEKETE, Z.

Research on the yield of Hungarian beech stands. Acta agronom Hung
10 no.1/2:123-2145 '60. (EEAI 9:12)
(Hungary--Beech)

FEKETE, Zoltan, dr. (Budapest); TOTH, Andras (Budapest)

Observation and measurement of soil erosion during cloudbursts.
Term tud kozl 5 no.7:305-306 JI '61.

FEKETE, Zoltan; LAMMEL, Kalman

Alkali soils. Mezogazd techn 3 no.5:2-3 '63.

FEKETE, Zoltan, dr. (Budapest); HORN, Ede, dr. (Budapest)

New ways of soil protection in orchards. Term tud kozl 7 no.3:125-127
Mr '63.

FEKETE, Z.; TOTH, A.

The effect of cultivation on soil conservation. Agrochem talajtan
13 Suppl.:219-226 My '64.

1. College of Horticulture and Viticulture, Chair of Soil
Science, Budapest.

MAYER, Laszlo; FEKETE, Zoltan, Dr.

Investigation of the economic advantages of the automation
of tube manufacturing. Villamossag 9 no.6:169-172 Je '61.

FEKETE GYOR, Laszlo, dr.

Role of the County Trade Union Councils in coordination with various examinations. Munka 13 no.12:37 D'63.

1. Kosponti Nepi Ellenorzesi Bizottsag osztalyvezetoje.

PEKETE SZUCS, Istvan

Industrial distant signaling instrument with a transistor system, from minus 20 C° to plus 55 C°. Radiotechnika 11 no.2:44-45 F '61.

... ..

... ..

... ..

"APPROVED FOR RELEASE: Monday, July 31, 2000

CIA-RDP86-00513R000412820

2400-55

APX 1401

APPROVED FOR RELEASE: Monday, July 31, 2000

CIA-RDP86-00513R000412820C

Page 3/3

FEKHÉR, Ishtvan, doktor [Fecher, Istvan]

Research work in leather and shoe industries of the Hungarian
People's Republic. Izv.vys.ucheb.zav.; tekhnolog.prom. no.6:
139-142 '61. (MIRA 14:12)

1. Vengerskiy nauchno-issledovatel'skiy institut kozhevenno-obuvnoy
promyshlennosti.

(Hungary—Research)
(Shoe manufacture)
(Leather)

HUNGARY/Cultivated Plants - Fodder.

M.

Abs Jour : Ref Zhur - Biol., No 4, 1958, 15708
Author : K. Fekher
Inst :
Title : The Selection of Corn Varieties for Ensilage.
(Selektsiya sortov kukuruzy na silos).
Orig Pub : Magyar mezőgazd., 1957, 12, No 6, 12.
Abstract : The hybrid Mv. 26 is distinguished for its early
ripening, high productivity and is, therefore, ex-
tremely promising for ensilage sowing.

Card 1/1

120

L 47522-66

ACC NR: AT6035000

SOURCE CODE: HU/2502/66/047/002/0129/0136

AUTHOR: Schulek, E.--Shulek, E. (deceased), Barcza, Lajos--Bartsa, L. (Doctor), Gabor-Feher, Magda--Gabor-Fekher, M. and Ladanyi, Laszlo--Lodani, L., of the Department for Inorganic and Analytical Chemistry at L. Eotvos University in Budapest.
 "Reaction of Disulfur Dichloride and Sulfur Dichloride with Cyanide; Their Determination through Thiocyanate" 15
 8+1

Budapest, Acta Chimica Academiae Scientiarum Hungaricae, Vol 47, No 2, 1966, pp 129-136.

Abstract: [English article] In the reaction of disulfur dichloride with cyanide, thiocyanogen forms first. The product then oxidizes the excess cyanide to paracyanogen by transforming into thiocyanate. The reaction of sulfur dichloride proceeds in a similar manner. The findings were utilized in the development of an analytical technique for the determination of disulfur dichloride and sulfur dichloride by determining the amount of thiocyanate formed. This latter determination is accomplished by iodometry.

Orig. art. has: 10 formulas and 2 tables. [JPRS: 36,002]

TOPIC TAGS: cyanide, chloride, sulfur compound, thiocyanate, quantitative analysis

SUB CODE: 07 / SUBM DATE: 08 Dec 64 / OTH REF: 007 / SOV REF: 001

Card 1/1

Heckler, et al. v. Shalala, 1996 WL 100000 (D.C. Cir. 1996).

and Fe_2O_3 are the chief oxides; generally $\text{Fe}_2\text{O}_3 = 60-70\%$

... ..

KRAKOVSKIY, N.I., prof.; FAKHNER, Ye.V. (Moskva)

Work of the Clinical and Polyclinical Section of the Surgical
Society of Moscow and Moscow Province in 1956. Sov.med. 21 no.9:
146-151 S '57. (MIRA 11:1)
(SURGERY)

KRAKOVSKIY, N.I., prof.; FEKHNER, Ye.V.

Survey of the work of the hospital and polyclinic section of the
Moscow and Moscow Province Surgical Society in 1957. Soy. med. 22
no.12:131-132 D '58.
(MIRA 12:1)

1. Predsedatel' Bol'nichno-poliklinicheskoy sekti nauchnogo ob-
shchestva khirurgov Moskvy i Moskovskoy oblasti za 1957 god (for Krakovskiy)
2. Sekretar' Bol'nichno-poliklinicheskoy sekti nauchnogo obshchestva
khirurgov Moskvy i Moskovskoy oblasti za 1957 god (for Fekher).
(MOSCOW PROVINCE--SURGICAL SOCIETIES)

FEKHRAVDINOV, A., serzhant

Skis are a soldier's weapons also. Starsh.-serezh. no.12:11
D '61.

(Ski troops)

(MIRA 15:3)

ACC NR: AP7001724

SOURCE CODE: UR/0048/66/030/012/1942/1949

AUTHOR: Gorbatty, N.A.; L'vov, G.V.; Perederiy, V.A.; Reshetnikova, L.V.; Pekhretdinov, F.A.

ORG: Department of Physical Electronics of Tashkent State University im. V.I. Lenin (Kafedra fizicheskay elektroniki Tashkentskogo gosudarstvennogo universiteta)

TITLE: Thermoelectron emission from hafnium and zirconium carbides

SOURCE: AN SSSR. Izvestiya. Seriya fizicheskaya, v. 30, no. 12, 1966, 1942-1949

TOPIC TAGS: hafnium compound, zirconium carbide, carbide, thermionic emission, work function, *electron emission, thermoelectron emission*

ABSTRACT: 'In view of discrepancies in the published data on the thermoelectron emission from HfC and ZrC, the work functions, Richardson constants, and current densities were recalculated for those materials under rigorously controlled conditions. The HfC samples contained 94% metal, 5.3% bound C, and 0.40% free C, and their lattice constant was 4.632 KX. The CrC samples contained 88.95% metal, 10.05% bound C, and 0.40% free C, and their lattice constant was 4.679 KX. The richardson method was

Card 1/2

UDC: none

ACC NR: AP7001724

used for the measurements of the basic characteristics, and the thermo-electron constant was assumed to be $120.4 \text{ amp}\cdot\text{cm}^{-2}\cdot\text{deg}^{-2}$. In half of the samples the carbides were deposited directly on tantalum substrates, and in the other half on tantalum coated with MoSi_2 . The work function of HfC on tantalum was found to be 3.0 eV, its Richardson constant $0.3 \text{ amp}\cdot\text{cm}^{-2}\cdot\text{deg}^{-2}$, current density at 1920K was 17.6 and at 2140K $137 \text{ mA}\cdot\text{cm}^{-1}$, and its effective work function 3.75 eV. The corresponding values for HfC on MoSi_2 were 3.0 eV, $1.8 \text{ amp}\cdot\text{cm}^{-2}\cdot\text{deg}^{-2}$, 91 and $790 \text{ mA}\cdot\text{cm}^{-1}$, and 3.75 eV. The work function of ZrC on tantalum was 2.7 eV, the Richardson constant $0.15 \text{ amp}\cdot\text{cm}^{-2}\cdot\text{deg}^{-2}$, current density at 1920K was 46 and at 2140K $306 \text{ mA}\cdot\text{cm}^{-1}$, and the effective work function 3.85 eV. The corresponding values for ZrC on MoSi_2 were 3.0 eV, $0.7 \text{ amp}\cdot\text{cm}^{-2}\cdot\text{deg}^{-2}$, 36 and $286 \text{ mA}\cdot\text{cm}^{-1}$ and 3.87 eV. [ZL]

SUB CODE: 20/ SUBM DATE: none/ ORIG REF: 003/ OTE REF: 007/
 ATD PRESS: 5114

Card 2/2

L 32046-66 EWP(e)/EWT(m)/T/EWP(t)/ETI IJP(c) JD/WW/JG/AT/WH
ACC NR: AP6013338 (A) SOURCE CODE: UR/0363/66/002/004/0604/0607

AUTHOR: Meyerson, G.A.; Fekhretdinov, F.A.; Kopeykin, V.A.; Medvedev, A.A.; Moiseytseva, Z.K. 62
B

ORG: none

TITLE: Thermodiffusive interaction of tantalum and boron carbide powder in a vacuum 21 21 21

SOURCE: AN SSSR. Izvestiya. Neorganicheskiye materialy, v.2, no. 4, 1966, 604-607

TOPIC TAGS: tantalum, boron compound, tantalum compound, carbide, thermal diffusion

ABSTRACT: The object of the study was to determine the phase composition and arrangement of diffusion layers on tantalum obtained by thermal diffusion in a boron carbide charge at 1200 - 1700C in a vacuum of 3×10^{-4} mm Hg. The phase composition and structure of the coatings on tantalum were analyzed by x-ray diffraction and microscopic examination. A diffusion coating consisting of the borides TaB₂, TaB, and Ta₂B and up to 4μ thick was found to be formed on the surface of the samples at 1200, 1300, and 1400C. After treatment at 1500, 1600, and 1700C, the powder patterns show strong lines of tantalum carbide TaC, and faint lines of TaB₂ and Ta₃B₄, indicating that TaC is the main phase in the reflecting layer. A faint line corresponding to the strongest

Card 1/2

UDC: 546.683 + 546.27'261